Author index

Akbar, A.N. see *Wallace, D.L.*
Alexander, C. see *Sinha, R.K.*
Ali, H. see *Zaidi, A.K.*
Allan, B. see *Passmore, J.-A.S.*
Altstaedt, J. see *Schröder, A.K.*
Amakawa, R. see *Son, Y.*
Amoudruz, P., Minang, J.T., Sundström, Y., Nilsson, C., Lilja, G., Troye-Blomberg, M. and *Sverremark-Ekström, E.* Pregnancy, but not the allergic status, influences spontaneous and induced interleukin-1β (IL-1β), IL-6, IL-10 and IL-12 responses, 18
Apostolopoulos, V. see *Lazoura, E.*
Arnaout, M.A. see *Zerria, K.*

Bacsi, A. see *Kruzel, M.L.*
Bae, E.-M. see *Kim, W.-J.*
Bae, H.-U. see *Kim, W.-J.*
Baião, A.MariaT. see *Cardoso, R.S.*
Balbach, K. see *Beyersdorf, N.*
Barington, T. see *Ohm-Laursen, L.*
Basaraba, R.J. see *Junqueira-Kipnis, A.P.*
Baxter, D. see *Sandilands, G.P.*
Bein, G. see *Sachs, U.J.H.*
Bell, E.B. see *Duffy, D.*
Bérard, M. see *Wallace, D.L.*
Berger, S.B., Sadighi Akha, A.A., Miller, R.A. and *Garcia, G.G.* CD43-independent augmentation of mouse T-cell function by glycoprotein cleaving enzymes, 178
Berger, S.B. see *Sadighi Akha, A.A.*
Beverley, P. see *Clutterbuck, E.A.*
Beverley, P.C.L. see *Wallace, D.L.*
Beyersdorf, N., Balbach, K., Hünig, T. and *Kerkau, T.* Large-scale expansion of rat $CD4^+$ $CD25^+$ T_{reg} cells in the absence of T-cell receptor stimulation, 441
Bland, P.W. see *Williams, A.M.*
Blank, N. see *Kriegel, M.A.*
Bofill, M. see *Naranjo-Gómez, M.*
Boldogh, I. see *Kruzel, M.L.*
Boross, P. see *Uppington, H.*
Borràs, F.E. see *Naranjo-Gómez, M.*
Boubaker, S. see *Zerria, K.*
Boursier, L., Montalto, S.A., Raju, S., Culora, G. and *Spencer, J.* Characterization of cells of the B lineage in the human adult greater omentum, 90
Braeunlich, C.G. see *Sachs, U.J.H.*
Budd, R.C. see *Huber, S.*
Bugelski, P.J. see *Liang, B.*
Buxton, C.A. see *Christmas, S.E.*

Callard, R. see *Strid, J.*
Camps, M.G.M. see *de Jong, J.M.H.*
Cardoso, R.S., Magalhães, D.A.R., Baião, A.MariaT., Junta, C.M., Macedo, C., Marques, M.M.C., Sakamoto-Hojo, E.T., Donadi, E.A. and *Passos, G.A.S.* Onset of promiscuous gene expression in murine fetal thymus organ culture, 369
Carter, K.C. see *Mullen, A.B.*
Choi, B.K. see *Lee, S.K.*
Choudhury, B. see *Kruzel, M.L.*
Christmas, S.E., de la Mata Espinosa, C.T., Halliday, D., Buxton, C.A., Cummerson, J.A. and *Johnson, P.M.* Levels of expression of complement regulatory proteins CD46, CD55 and CD59 on resting and activated human peripheral blood leucocytes, 522
Climent, N. see *Naranjo-Gómez, M.*
Close, R. see *Hojgaard, A.*
Clot, J. see *Desmetz, C.*
Clutterbuck, E.A., Salt, P., Oh, S., Marchant, A., Beverley, P. and *Pollard, A.J.* The kinetics and phenotype of the human B-cell response following immunization with a heptavalent pneumococcal-CRM_{197} conjugate vaccine, 328
Cook, J.E. see *Wallace, D.L.*
Corbeau, P. see *Desmetz, C.*
Cordeiro-da-Silva, A. see *Silvestre, R.*
Cos, J. see *Naranjo-Gómez, M.*
Crowe Jr, J.E. see *Tian, C.*
Culora, G. see *Boursier, L.*
Cummerson, J.A. see *Christmas, S.E.*

Dalhoff, K. see *Schröder, A.K.*
von Delwig, A. see *Shim, H.-K.*
Denny, L. see *Passmore, J.-A.S.*
Desmetz, C., Lin, Y.-L., Mettling, C., Portalès, P., Rabesandratana, H., Clot, J. and *Corbeau, P.* The strength of the chemotactic response to a CCR5 binding chemokine is determined by the level of cell surface CCR5 density, 551
Diane Williamson, E. see *Shim, H.-K.*
Dischert, K.M. see *Tian, C.*
Dohrman, A. see *Huber, S.*
Doi, H. see *Tanaka, D.*
Donadi, E.A. see *Cardoso, R.S.*
Donohue, K.B., Grant, J.M., Tewalt, E.F., Palmer, D.C., Theoret, M.R., Restifo, N.P. and *Norbury, C.C.* Cross-priming utilizes antigen not available to the direct presentation pathway, 63
Duffy, D., Yang, C.-P., Heath, A., Garside, P. and *Bell, E.B.* Naive T-cell receptor transgenic T cells help memory B cells produce antibody, 376
Dunn, D.M. see *Hojgaard, A.*
Duthie, M.S. and *Kahn, S.J.* During acute *Trypanosoma cruzi* infection highly susceptible mice deficient in natural killer cells are protected by a single α-galactosylceramide treatment, 355

Ellison, C.A., Taniguchi, M., Fischer, J.M.M., Hayglass, K.T. and *Gartner, J.G.* Graft-versus-host disease in recipients of grafts from natural killer T cell-deficient ($J\alpha281^{-/-}$) donors, 338
Emi, M. see *Kim, R.*

Engelmann, I., Moeller, U., Santamaria, A., Kremsner, P.G. and *Luty, A.J.F.* Differing activation status and immune effector molecule expression profiles of neonatal and maternal lymphocytes in an African population, 515
Exley, M.A. see *Lang, G.A.*

Farrugia, W. see *Lazoura, E.*
Fathallah, D.M. see *Zerria, K.*
Finney, H.M. see *Smith, E.L.*
Fischer, J.M.M. see *Ellison, C.A.*
Fleischer, D. see *Schröder, A.K.*
Flick-Smith, H. see *Shim, H.-K.*
Fraser, J.M., Janicki, C.N., Raveney, B.J.E. and *Morgan, D.J.* Abortive activation precedes functional deletion of $CD8^+$ T cells following encounter with self-antigens expressed by resting B cells *in vivo*, 126
French, M.A. see *Price, P.*
Fukuhara, S. see *Son, Y.*
Fulton, S.A. see *Junqueira-Kipnis, A.P.*

Gabler, C. see *Kriegel, M.A.*
Gallart, T. see *Naranjo-Gómez, M.*
Garcia, G.G. see *Berger, S.B.*
Gardner, D.B. see *Liang, B.*
Garside, P. see *Duffy, D.*
Gartner, J.G. see *Ellison, C.A.*
Gatell, J.M. see *Naranjo-Gómez, M.*
Gauduin, M.-C. see *Macchia, I.*
Grant, J.M. see *Donohue, K.B.*
Griswold, D.E. see *Liang, B.*
Gruppo, V. see *Junqueira-Kipnis, A.P.*
Gumbi, P.P. see *Passmore, J.-A.S.*
Gyles, S.L., Xue, L., Townsend, E.R., Wettey, F. and *Pettipher, R.* A dominant role for chemoattractant receptor-homologous molecule expressed on T helper type 2 (Th2) cells (CRTH2) in mediating chemotaxis of $CRTH2^+$ $CD4^+$ Th2 lymphocytes in response to mast cell supernatants, 362

Halliday, D. see *Christmas, S.E.*
Hammami, S. see *Zerria, K.*
Harper, H.M. see *Shim, H.-K.*
Hart, P.H. see *Prêle, C.M.*
Haselmayer, P., Tenzer, S., Kwon, B.S., Jung, G., Schild, H. and *Radsak, M.P.* Herpes virus entry mediator synergizes with Toll-like receptor mediated neutrophil inflammatory responses, 404
Hato, F. see *Nakamae-Akahori, M.*
Hayglass, K.T. see *Ellison, C.A.*
Heath, A. see *Duffy, D.*
Henry Boom, W. see *Junqueira-Kipnis, A.P.*
Heussen, N. see *Schröder, A.K.*
Higginbotham, J.N. see *Tian, C.*
Hill, K. see *Sandilands, G.P.*
Hino, M. see *Nakamae-Akahori, M.*
Hirokawa, K. see *Wakabayashi, A.*
Hitzeroth, I.I. see *Passmore, J.-A.S.*
Hojgaard, A., Close, R., Dunn, D.M., Weiss, R.B., Weis, J.J. and *Weis, J.H.* Altered localization of CXCL13 expressing cells in mice deficient in Pactolus following an inflammatory stimulus, 212
Hong, S.H. see *Kim, W.-J.*
Hsu, T. see *Junqueira-Kipnis, A.P.*
Huber, S., Dohrman, A., Sartini, D. and *Budd, R.C.* Reduced myocarditis following Coxsackievirus infection in cellular FLICE inhibitory protein – long form-transgenic mice, 541
Huizinga, T.W.J. see *de Jong, J.M.H.*
Hünig, T. see *Beyersdorf, N.*

Igyártó, B.-Z., Lackó, E., Oláh, I. and *Magyar, A.* Characterization of chicken epidermal dendritic cells, 278
Ioan-Facsinay, A. see *de Jong, J.M.H.*
Ito, T. see *Son, Y.*
Ivars, F. see *Leandersson, K.*

Jacobs Jr, W.R. see *Junqueira-Kipnis, A.P.*
Jaensson, E. see *Leandersson, K.*
Janicki, C.N. see *Fraser, J.M.*
Jerbi, E. see *Zerria, K.*
Johnson, P.M. see *Christmas, S.E.*
de Jong, J.M.H., Schuurhuis, D.H., Ioan-Facsinay, A., Welling, M.M., Camps, M.G.M., van der Voort, E.I.H., Huizinga, T.W.J., Ossendorp, F., Sjef Verbeek, J. and *Toes, R.E.M.* Dendritic cells, but not macrophages or B cells, activate major histocompatibility complex class II-restricted $CD4^+$ T cells upon immune-complex uptake *in vivo*, 499
Ju, X. see *Schröder, A.K.*
Jung, G. see *Haselmayer, P.*
Junqueira-Kipnis, A.P., Basaraba, R.J., Gruppo, V., Palanisamy, G., Turner, O.C., Hsu, T., Jacobs Jr, W.R., Fulton, S.A., Reba, S.M., Henry Boom, W. and *Orme, I.M.* Mycobacteria lacking the RD1 region do not induce necrosis in the lungs of mice lacking interferon-γ, 224
Junta, C.M. see *Cardoso, R.S.*

Kagari, T. see *Tanaka, D.*
Kahn, S.J. see *Duthie, M.S.*
Kalden, J.R. see *Kriegel, M.A.*
Kang, W.J. see *Lee, S.K.*
Kang, Y.-J. see *Kim, W.-J.*
Kato, T. see *Nakamae-Akahori, M.*
Kaur, A. see *Macchia, I.*
Keane, N.M. see *Price, P.*
Keith-Magee, A.L. see *Prêle, C.M.*
Kerkau, T. see *Beyersdorf, N.*
Kim, K.H. see *Lee, S.K.*
Kim, R., Emi, M. and *Tanabe, K.* Cancer immunosuppression and autoimmune disease: beyond immunosuppressive networks for tumour immunity, 254
Kim, T.Y. see *Lee, S.K.*
Kim, W.-J., Bae, E.-M., Kang, Y.-J., Bae, H.-U., Hong, S.H., Lee, J.Y., Park, J.-E., Kwon, B.S., Suk, K. and *Lee, W.-H.* Glucocorticoid-induced tumour necrosis factor receptor family related protein (GITR) mediates inflammatory activation of macrophages that can destabilize atherosclerotic plaques, 421
Kim, Y.H. see *Lee, S.K.*
Kitagawa, S. see *Nakamae-Akahori, M.*
Knossow, M. and *Skehel, J.J.* Variation and infectivity neutralization in influenza, 1
Koch, K.S., Son, K.-H., Maehr, R., Pellicciotta, I., Ploegh, H.L., Zanetti, M., Sell, S. and *Leffert, H.L.* Immune-privileged embryonic Swiss

mouse STO and STO cell-derived progenitor cells: major histocompatibility complex and cell differentiation antigen expression patterns resemble those of human embryonic stem cell lines, 98
Kolling, U. see *Schröder, A.K.*
Kremsner, P.G. see *Engelmann, I.*
Kriegel, M.A., Tretter, T., Blank, N., Schiller, M., Gabler, C., Winkler, S., Kalden, J.R. and *Lorenz, H.-M.* Interleukin-4 supports interleukin-12-induced proliferation and interferon-γ secretion in human activated lymphoblasts and T helper type 1 cells, 43
Kroll, H. see *Sachs, U.J.H.*
Kron, G.K. see *Tian, C.*
Kruzel, M.L., Bacsi, A., Choudhury, B., Sur, S. and *Boldogh, I.* Lactoferrin decreases pollen antigen-induced allergic airway inflammation in a murine model of asthma, 159
Kumagai, Y. see *Wakabayashi, A.*
Kutsuna, H. see *Nakamae-Akahori, M.*
Kwon, B.S. see *Haselmayer, P.*
Kwon, B.S. see *Kim, W.-J.*
Kwon, B.S. see *Lee, S.K.*

Lackó, E. see *Igyártó, B.-Z.*
Lang, G.A., Exley, M.A. and *Lang, M.L.* The CD1d-binding glycolipid α-galactosylceramide enhances humoral immunity to T-dependent and T-independent antigen in a CD1d-dependent manner, 116
Lang, M.L. see *Lang, G.A.*
Langnas, A.N. see *Sun, Y.*
Larsen, S.R. see *Ohm-Laursen, L.*
Lawrence, C.E. see *Mullen, A.B.*
Lazoura, E., Lodding, J., Farrugia, W., Ramsland, P.A., Stevens, J., Wilson, I.A., Pietersz, G.A. and *Apostolopoulos, V.* Enhanced major histocompatibility complex class I binding and immune responses through anchor modification of the non-canonical tumour-associated mucin 1-8 peptide, 306
Leandersson, K., Jaensson, E. and *Ivars, F.* T cells developing in fetal thymus of T-cell receptor α-chain transgenic mice colonize γδ T-cell-specific epithelial niches but lack long-term reconstituting potential, 134
Lee, J.Y. see *Kim, W.-J.*
Lee, S. see *Price, P.*
Lee, S.K., Choi, B.K., Kim, Y.H., Kang, W.J., Kim, K.H., Sakaguchi, S., Suh, J.H., Kim, T.Y. and *Kwon, B.S.* Glucocorticoid-induced tumour necrosis factor receptor family-related receptor signalling exacerbates hapten-induced colitis by $CD4^+$ T cells, 479
Lee, W.-H. see *Kim, W.-J.*
Leffert, H.L. see *Koch, K.S.*
Li, Q. see *Sun, Y.*
Liang, B., Gardner, D.B., Griswold, D.E., Bugelski, P.J. and *Song, X.Y.R.* Anti-interleukin-6 monoclonal antibody inhibits autoimmune responses in a murine model of systemic lupus erythematosus, 296
Lilja, G. see *Amoudruz, P.*
Lim, A.F.Y. see *Price, P.*
Lin, Y.-L. see *Desmetz, C.*
Lodding, J. see *Lazoura, E.*
Lorenz, H.-M. see *Kriegel, M.A.*
Luty, A.J.F. see *Engelmann, I.*

Ma, M.Y. see *Sun, Y.*
Maaroufi, A. see *Zerria, K.*
Macchia, I., Gauduin, M.-C., Kaur, A. and *Paul Johnson, R.* Expression of CD8α identifies a distinct subset of effector memory $CD4^+$ T lymphocytes, 232
McCrae, J. see *Sandilands, G.P.*
Macedo, C. see *Cardoso, R.S.*
McFarlane, E. see *Mullen, A.B.*
McKinnon, E.J. see *Price, P.*
McNeill, H.V. see *Shim, H.-K.*
Maehr, R. see *Koch, K.S.*
Magalhães, D.A.R. see *Cardoso, R.S.*
Mage, R.G. see *Sinha, R.K.*
Magyar, A. see *Igyártó, B.-Z.*
Marais, D.J. see *Passmore, J.-A.S.*
Marchant, A. see *Clutterbuck, E.A.*
Marques, M.M.C. see *Cardoso, R.S.*
Mastroeni, P. see *Uppington, H.*
Masuda, S. see *Nakamae-Akahori, M.*
de la Mata Espinosa, C.T. see *Christmas, S.E.*
Menager, N. see *Uppington, H.*
Mettling, C. see *Desmetz, C.*
Miller, R.A. see *Berger, S.B.*
Miller, R.A. see *Sadighi Akha, A.A.*
Milner, M. see *Passmore, J.-A.S.*
Minang, J.T. see *Amoudruz, P.*
Moeller, U. see *Engelmann, I.*
Montalto, S.A. see *Boursier, L.*
Morgan, D.J. see *Fraser, J.M.*
Mullen, A.B., Lawrence, C.E., McFarlane, E., Wei, X.-Q. and *Carter, K.C.* Endogenous interleukin-18 is involved in immunity to *Leishmania donovani* but its absence does not adversely influence the therapeutic activity of sodium stibogluconate, 348
Murcha, M. see *Prêle, C.M.*
Musson, J.A. see *Shim, H.-K.*

Nakamae-Akahori, M., Kato, T., Masuda, S., Sakamoto, E., Kutsuna, H., Hato, F., Nishizawa, Y., Hino, M. and *Kitagawa, S.* Enhanced neutrophil motility by granulocyte colony-stimulating factor: the role of extracellular signal-regulated kinase and phosphatidylinositol 3-kinase, 393
Nakamura, K. see *Son, Y.*
Naranjo-Gómez, M., Climent, N., Cos, J., Oliva, H., Bofill, M., Gatell, J.M., Gallart, T., Pujol-Borrell, R. and *Borràs, F.E.* Tacrolimus treatment of plasmacytoid dendritic cells inhibits dinucleotide (CpG-)-induced tumour necrosis factor-alpha secretion, 488
Nesbitt, A.M. see *Smith, E.L.*
Nielsen, M. see *Ohm-Laursen, L.*
Nilsson, C. see *Amoudruz, P.*
Nishizawa, Y. see *Nakamae-Akahori, M.*
Niu, Z. see *Sun, Y.*
Norbury, C.C. see *Donohue, K.B.*

Oh, S. see *Clutterbuck, E.A.*
von der Ohe, M. see *Schröder, A.K.*
Ohm-Laursen, L., Nielsen, M., Larsen, S.R. and *Barington, T.* No evidence for the use of DIR,D–D fusions, chromosome 15 open reading frames or V_H replacement in the peripheral repertoire was found on application of an improved algorithm, Joint ML, to 6329 human immunoglobulin H rearrangements, 265
Oláh, I. see *Igyártó, B.-Z.*

Oldham, J. see *Wallace, D.L.*
Oliva, H. see *Naranjo-Gómez, M.*
Orme, I.M. see *Junqueira-Kipnis, A.P.*
Ossendorp, F. see *de Jong, J.M.H.*
Ouaissi, A. see *Silvestre, R.*
Ozaki, Y. see *Son, Y.*

Palanisamy, G. see *Junqueira-Kipnis, A.P.*
Palmer, D.C. see *Donohue, K.B.*
Park, J.-E. see *Kim, W.-J.*
Passmore, J.-A.S., Milner, M., Denny, L., Sampson, C., Marais, D.J., Allan, B., Gumbi, P.P., Hitzeroth, I.I., Rybicki, E.P. and *Williamson, A.-L.* Comparison of cervical and blood T-cell responses to human papillomavirus-16 in women with human papillomavirus-associated cervical intraepithelial neoplasia, 507
Passos, G.A.S. see *Cardoso, R.S.*
Paul Johnson, R. see *Macchia, I.*
Pellicciotta, I. see *Koch, K.S.*
Peng, J. see *Sun, Y.*
Perry, M. see *Sandilands, G.P.*
Pettipher, R. see *Gyles, S.L.*
Phillips, A. see *Williams, A.M.*
Pietersz, G.A. see *Lazoura, E.*
Ploegh, H.L. see *Koch, K.S.*
Pollard, A.J. see *Clutterbuck, E.A.*
Portalès, P. see *Desmetz, C.*
Prêle, C.M., Keith-Magee, A.L., Yerkovich, S.T., Murcha, M. and *Hart, P.H.* Suppressor of cytokine signalling-3 at pathological levels does not regulate lipopolysaccharide or interleukin-10 control of tumour necrosis factor-α production by human monocytes, 8
Price, P., Keane, N.M., Lee, S., Lim, A.F.Y., McKinnon, E.J. and *French, M.A.* A T2 cytokine environment may not limit T1 responses in human immunodeficiency virus patients with a favourable response to antiretroviral therapy, 74
Probert, C.S.J. see *Williams, A.M.*
Pujol-Borrell, R. see *Naranjo-Gómez, M.*

Rabesandratana, H. see *Desmetz, C.*
Radsak, M.P. see *Haselmayer, P.*
Raju, S. see *Boursier, L.*
Ramsdell, F. see *Smith, E.L.*
Ramsland, P.A. see *Lazoura, E.*
Raveney, B.J.E. see *Fraser, J.M.*
Reba, S.M. see *Junqueira-Kipnis, A.P.*
Restifo, N.P. see *Donohue, K.B.*
Ribatti, D. The fundamental contribution of Robert A. Good to the discovery of the crucial role of thymus in mammalian immunity, 291
Rink, L. see *Schröder, A.K.*
Robinson, J.H. see *Shim, H.-K.*
Robinson, M.K. see *Smith, E.L.*
Rybicki, E.P. see *Passmore, J.-A.S.*

Sachs, U.J.H., Socher, I., Braeunlich, C.G., Kroll, H., Bein, G. and *Santoso, S.* A variable number of tandem repeats polymorphism influences the transcriptional activity of the neonatal Fc receptor α-chain promoter, 83
Sadighi Akha, A.A., Berger, S.B. and *Miller, R.A.* Enhancement of CD8 T-cell function through modifying surface glycoproteins in young and old mice, 187
Sadighi Akha, A.A. see *Berger, S.B.*
Sakaguchi, S. see *Lee, S.K.*
Sakamoto, E. see *Nakamae-Akahori, M.*
Sakamoto-Hojo, E.T. see *Cardoso, R.S.*
Salt, P. see *Clutterbuck, E.A.*
Sampson, C. see *Passmore, J.-A.S.*
Sandilands, G.P., McCrae, J., Hill, K., Perry, M. and *Baxter, D.* Major histocompatibility complex class II (DR) antigen and costimulatory molecules on *in vitro* and *in vivo* activated human polymorphonuclear neutrophils, 562
Santamaria, A. see *Engelmann, I.*
Santoso, S. see *Sachs, U.J.H.*
Sartini, D. see *Huber, S.*
Schild, H. see *Haselmayer, P.*
Schiller, M. see *Kriegel, M.A.*
Schröder, A.K., von der Ohe, M., Kolling, U., Altstaedt, J., Uciechowski, P., Fleischer, D., Dalhoff, K., Ju, X., Zenke, M., Heussen, N. and *Rink, L.* Polymorphonuclear leucocytes selectively produce anti-inflammatory interleukin-1 receptor antagonist and chemokines, but fail to produce pro-inflammatory mediators, 317
Schuurhuis, D.H. see *de Jong, J.M.H.*
Sell, S. see *Koch, K.S.*
Sereno, D. see *Silvestre, R.*
Sheppard, M. see *Uppington, H.*
Shim, H.-K., Musson, J.A., Harper, H.M., McNeill, H.V., Walker, N., Flick-Smith, H., von Delwig, A., Diane Williamson, E. and *Robinson, J.H.* Mechanisms of major histocompatibility complex class II-restricted processing and presentation of the V antigen of *Yersinia pestis*, 385
Shimizu, M. see *Wakabayashi, A.*
Shimozato, T. see *Tanaka, D.*
Silvestre, R., Cordeiro-da-Silva, A., Tavares, J., Sereno, D. and *Ouaissi, A. Leishmania* cytosolic silent information regulatory protein 2 deacetylase induces murine B-cell differentiation and *in vivo* production of specific antibodies, 529
Sinha, R.K., Yang, G., Alexander, C. and *Mage, R.G. De novo* expression of MECA-79 glycoprotein-determinant on developing B lymphocytes in gut-associated lymphoid tissues, 461
Sjef Verbeek, J. see *de Jong, J.M.H.*
Skehel, J.J. see *Knossow, M.*
Smith, E.L., Finney, H.M., Nesbitt, A.M., Ramsdell, F. and *Robinson, M.K.* Splice variants of human FOXP3 are functional inhibitors of human $CD4^+$ T-cell activation, 203
Soares, M.V.D. see *Wallace, D.L.*
Socher, I. see *Sachs, U.J.H.*
Son, K.-H. see *Koch, K.S.*
Son, Y., Ito, T., Ozaki, Y., Tanijiri, T., Yokoi, T., Nakamura, K., Takebayashi, M., Amakawa, R. and *Fukuhara, S.* Prostaglandin E_2 is a negative regulator on human plasmacytoid dendritic cells, 36
Song, X.Y.R. see *Liang, B.*
Spencer, J. see *Boursier, L.*
Stepankova, R. see *Williams, A.M.*
Stevens, J. see *Lazoura, E.*
Strid, J., Callard, R. and *Strobel, S.* Epicutaneous immunization converts subsequent and established antigen-specific T helper type 1 (Th1) to Th2-type responses, 27
Strobel, S. see *Strid, J.*
Suh, J.H. see *Lee, S.K.*
Suk, K. see *Kim, W.-J.*

Sun, Y., Yang, Z., Niu, Z., Peng, J., Li, Q., Xiong, W., Langnas, A.N., Ma, M.Y. and *Zhao, Y.* MOP3, a component of the molecular clock, regulates the development of B cells, 451
Sundström, Y. see *Amoudruz, P.*
Sur, S. see *Kruzel, M.L.*
Sverremark-Ekström, E. see *Amoudruz, P.*

Takahashi, H. see *Wakabayashi, A.*
Takebayashi, M. see *Son, Y.*
Tanabe, K. see *Kim, R.*
Tanaka, D., Kagari, T., Doi, H. and *Shimozato, T.* Essential role of neutrophils in anti-type II collagen antibody and lipopolysaccharide-induced arthritis, 195
Taniguchi, M. see *Ellison, C.A.*
Tanijiri, T. see *Son, Y.*
Tavares, J. see *Silvestre, R.*
Tenzer, S. see *Haselmayer, P.*
Tewalt, E.F. see *Donohue, K.B.*
Thangam, E.R.R.B. see *Zaidi, A.K.*
Theoret, M.R. see *Donohue, K.B.*
Tian, C., Kron, G.K., Dischert, K.M., Higginbotham, J.N. and *Crowe Jr, J.E.* Low expression of the interleukin (IL)-4 receptor alpha chain and reduced signalling via the IL-4 receptor complex in human neonatal B cells, 54
Tlaskalova-Hogenova, H. see *Williams, A.M.*
Toes, R.E.M. see *de Jong, J.M.H.*
Tough, D.F. see *Wallace, D.L.*
Townsend, E.R. see *Gyles, S.L.*
Tretter, T. see *Kriegel, M.A.*
Troye-Blomberg, M. see *Amoudruz, P.*
Turner, O.C. see *Junqueira-Kipnis, A.P.*

Uciechowski, P. see *Schröder, A.K.*
Uppington, H., Menager, N., Boross, P., Wood, J., Sheppard, M., Verbeek, S. and *Mastroeni, P.* Effect of immune serum and role of individual Fcγ receptors on the intracellular distribution and survival of *Salmonella enterica* serovar Typhimurium in murine macrophages, 147
Utsuyama, M. see *Wakabayashi, A.*

Verbeek, S. see *Uppington, H.*
van der Voort, E.I.H. see *de Jong, J.M.H.*

Wakabayashi, A., Kumagai, Y., Watari, E., Shimizu, M., Utsuyama, M., Hirokawa, K. and *Takahashi, H.* Importance of gastrointestinal ingestion and macromolecular antigens in the vein for oral tolerance induction, 167
Walker, N. see *Shim, H.-K.*
Wallace, D.L., Bérard, M., Soares, M.V.D., Oldham, J., Cook, J.E., Akbar, A.N., Tough, D.F. and *Beverley, P.C.L.* Prolonged exposure of naïve $CD8^+$ T cells to interleukin-7 or interleukin-15 stimulates proliferation without differentiation or loss of telomere length, 243
Watari, E. see *Wakabayashi, A.*
Wei, X.-Q. see *Mullen, A.B.*
Weis, J.H. see *Hojgaard, A.*
Weis, J.J. see *Hojgaard, A.*
Weiss, R.B. see *Hojgaard, A.*
Welling, M.M. see *de Jong, J.M.H.*
Wettey, F. see *Gyles, S.L.*
Williams, A.M., Probert, C.S.J., Stepankova, R., Tlaskalova-Hogenova, H., Phillips, A. and *Bland, P.W.* Effects of microflora on the neonatal development of gut mucosal T cells and myeloid cells in the mouse, 470
Williamson, A.-L. see *Passmore, J.-A.S.*
Wilson, I.A. see *Lazoura, E.*
Winkler, S. see *Kriegel, M.A.*
Wood, J. see *Uppington, H.*

Xiong, J.P. see *Zerria, K.*
Xiong, W. see *Sun, Y.*
Xue, L. see *Gyles, S.L.*

Yang, C.-P. see *Duffy, D.*
Yang, G. see *Sinha, R.K.*
Yang, Z. see *Sun, Y.*
Yerkovich, S.T. see *Prêle, C.M.*
Yokoi, T. see *Son, Y.*

Zaidi, A.K., Thangam, E.R.R.B. and *Ali, H.* Distinct roles of Ca^{2+} mobilization and G protein usage on regulation of Toll-like receptor function in human and murine mast cells, 412
Zanetti, M. see *Koch, K.S.*
Zenke, M. see *Schröder, A.K.*
Zerria, K., Jerbi, E., Hammami, S., Maaroufi, A., Boubaker, S., Xiong, J.P., Arnaout, M.A. and *Fathallah, D.M.* Recombinant integrin CD11b A-domain blocks polymorphonuclear cells recruitment and protects against skeletal muscle inflammatory injury in the rat, 431
Zhao, Y. see *Sun, Y.*

Subject index

adenovirus, 8
adhesion
  molecules, 431
  receptor, 212
adoptive transfer, 376
ageing, 178, 187
AIDS, 551
airway inflammation, 159
allergy, 18, 159
anchor modifications, 306
anergy/suppression/tolerance, 441
animal
  models/studies, 195
  models/studies: mice, 338
  models/studies: primates, 232
antibodies, 116, 265
antibody, 1, 147, 296
antibody-forming cells, 328
antigen
  presentation, 63, 385
  presentation/processing, 499
  processing, 63
antigenicity, 1
antiretroviral therapy, 74
apoptosis, 254
appendix, 461
arthritis (including rheumatoid arthritis), 195
atherosclerosis, 421
autoimmune disease, 254
autoimmunity, 27, 296, 488

B
  cell, 90
  cells, 54, 116, 529
  lymphocytes, 126
B-cell
  development, 451
  subsets, 328
B-lymphocyte exit, 461
bone marrow cells, 451
5-bromo-2-deoxyuridine, 278
bursa of Fabricius, 291

cancer
  immunosuppression, 254
  immunotherapy, 254
CCR5, 551
CD46, 522
CD55, 522
CD59, 522
CD8, 541
  T cell, 243
CD4 T cells, 376
CD1d, 116
cDNA microarray, 369
$CD8^+$ T cells, 126
CD45RB, 376
CD1-restricted natural killer T cells (NKT cells), 338
cell
  death, 541
  migration, 212
  surface molecules, 404
cellular activation, 178, 355
cervical, 507
C-FLIP, 541
chemokine, 212, 412
chemokines, 54, 551
chemotaxis, 551
chicken, 278
chimeric receptors, 203
CMV, 74
computer algorithm, 265
conjugate vaccine, 328
cordblood, 515
co-stimulation/costimulatory molecules, 441
co-stimulation/co-stimulatory molecules, 479
costimulatory molecules, 562
Crohn's disease, 479
CRTH2, 362
cytokine, 36, 243, 412
cytokines, 18, 43, 74, 421, 515
cytolytic T cells, 541
cytotoxic T cells, 63

dendritic cells, 499

epicutaneous immunization, 27
extracellular signal-regulated kinase, 393

Fc receptors, 147, 499
fetal thymus organ culture, 369
FOXP3, 203

gastrointestinal ingestion, 167
γδT cells, 134
gene rearrangements, 265
germfree, 470
glucocorticoid-induced tumour necrosis factor receptor family-related protein, 421
glycosylation, 178, 187
graft-versus-host disease (GVHD), 338
granulocyte colony-stimulating factor, 393
granulocytes, 317

haemagglutinin, 1
helper T
  cells (Th cells, Th0, Th1, Th2, Th3), 232
  cells: Th cells, Th0, Th1, Th2, Th3, 338
herpes virus entry mediator, 404
history of medicine, 291
HIV, 74
$H\text{-}2K^b$, 306
human, 90, 265
  monocytes, 8
  papillomavirus, 507
  studies, 54
  T lymphocytes, 203

IFN-γ knockout mice, 224
IgE, 18
IgG, 83
IL-10, 8
IL-18, 348
IL-1ra, 317
immune privilege, 98
immunoglobulin gene, 90
immunology, 291
immunosenescence, 178
immunosupression, 488
infection, 147
inflammation, 36, 317, 404, 421, 431
inflammatory bowel disease, 479
inhibition of T-cell activation, 203
innate immunity, 515
integrins, 431
interferon, 126
interleukin-6, 296
interleukins, 54
ischaemia-reperfusion, 431

lactoferrin, 159
Langerhans cells, 278
Leishmania, 529
  donovani, 348
leishmaniasis, 529

© 2006 Blackwell Publishing Ltd,

leucocytes, 522
LPS, 18
lung, 224

macromolecular antigen, 167
macrophages, 147, 499
major histocompatibility complex, 63
mast cells, 362, 412
MECA-79, 461
memory, 376
  B cells, 328
  cells, 232
MHC class II, 385
  antigen, 562
mice/rats, 195
microflora, 470
migration, 393
molecular clock, 451
monocytes, 522
monocytes/macrophages, 421
MOP3, 451
mucin
  1-8, 306
  1, 306
mucosal, 507
muscle trauma, 431

natural killer
  cells, 278, 355
  T cells, 116, 355
neonatal, 54
  Fc receptor, 83
neonate, 470, 515
neutrophil, 393
neutrophils, 195, 212, 317, 404, 562
non-canonical peptide, 306

omentum, 90
oral tolerance, 167
ovalbumin, 167
oxidative stress, 159

parasite: protozoan, 355
PAS, 451
perforin, 515
plague, 385
plasmacytoid dendritic cells, 36, 488
PMN, 317
pneumococcal vaccine, 328
pregnancy, 18
progenitor cell phenotypes, 98
proliferation, 43, 441
promiscuous gene expression, 369
promoter polymorphism, 83
prostaglandin
  D_2, 362
  E_2, 36

rabbit, 461
ramatroban, 362
RD1 gene region, 224
receptor-binding, 1
regulatory T cells (T_{reg}), 441
rodent, 187

Salmonella, 147
self-tolerance, 126
signal transduction, 178, 187, 412
signalling, 43
simian immunodeficiency virus, 232
SIR2, 529
skin, 27
  (dermatology) immunology/disease, 134
  immunization, 278
SOCS3, 8
sodium stibogluconate, 348
specific antibodies, 529

splice variants, 203
structure, 1
sulphated *O*-linked glycoprotein, 461
systemic lupus erythematosus, 296

T
  cell, 470
  cells, 74, 134, 385, 479, 541
  helper cells, 43
  helper type 2 lymphocytes, 362
  lymphocytes, 355, 551
tacrolimus, 488
T-cell
  immunity, 507
  receptor, 134
  tolerance, 369
TCR, 187
telomere, 243
Th1/Th2 cells, 27
thymus, 134, 291, 369
TLR, 412
  ligands, 404
TNF-α, 8
transgenic, 126, 376
  mice, 63
transplantation, 488
tuberculosis, 224
tumour necrosis factor receptor superfamily 18, 421
type I interferons, 36

vaccination, 27
vaccine
  antigen, 385
  design, 306
viral immunology, 541

weaning, 470

IMMUNOLOGY

Immunology

An official journal of the British Society for Immunology

Editor: MIKE KEMENY

Associate Editors:
P. CRESSWELL, J. GORDON, W. R. HEATH, K. HEEG, N. HOGG, F. Y. LIEW, M. MIYASAKA, S. J. ONO & J. TROWSDALE

Editorial Board

A. Akbar *London*
D. Altmann *London*
P. Askenase *Connecticut*
P. Beverley *Compton*
J. Blackwell *Cambridge*
M. Bonneville *Nantes*
C. G. Brooks *Newcastle-upon-Tyne*
J. Cambier *Denver*
R. Chicz *Boston*
R. Coffman *Berkeley*
A. Cooke *Cambridge*
D. Cosman *Seattle*
P. Crocker *Dundee*
W. Cushley *Glasgow*
M. Dallman *London*
S. Davis *Oxford*
C. Dayan *Bristol*
T. Defrance *Lyon*
D. Díaz-Sanchez *Los Angeles*
M. Dustin *New York*
T. Elliott *Southampton*
T. Evans *London*
L. Flores-Romo *Mexico City*
A. Gagro *Zagreb*
P. Garside *Glasgow*
S. Ghosh *Connecticut*
S. Gordon *Oxford*
D. Gray *Edinburgh*
M. Harnett *Glasgow*
A. Hayday *London*
S. Hedrick *San Diego*
H. Hengartner *Zurich*
T. Hussell *London*
L. Klavinskis *London*
N. Klein *London*
J. Lamb *Middlesex*
P. Lydyard *London*
G. G. MacPherson *Oxford*
H. Maeda *Kumamoto*
D. Maskell *Cambridge*
A. Mellor *Georgia*
A. van der Merwe *Oxford*
R. Modlin *Los Angeles*
A. Noble *London*
A. O'Garra *London*
F. Powrie *Oxford*
C. Reis e Sousa *London*
C. Rudd *London*
D. M. Sansom *Birmingham*
J. Savill *Edinburgh*
K. G. C. Smith *Cambridge*
R. M. Steinman *New York*
F. Stevenson *Southampton*
B. Stockinger *London*
S. Todryk *Dublin*
V. Tybulewicz *London*
H. Wagner *Munich*
S. Ward *Bath*
S. Wong *Bristol*
J. M. Woof *Dundee*

VOLUME 119
Pages 1–580

Blackwell
Publishing

Published for the British Society for Immunology by
Blackwell Publishing Ltd,
101 George Street, Edinburgh, EH2 3ES, UK

Blackwell Publishing Ltd
9600 Garsington Road, Oxford, OX4 2DQ, UK
108 Cowley Road, Oxford, OX4 1JF, UK
Blackwell Publishing Inc.
Commerce Place, 350 Main Street, Malden, MA02148, USA
Blackwell Publishing Asia
550 Swanston St, Carlton South Victoria 3053, Australia
Blackwell Munksgaard
1 Rosenørns Allè, P.O. Box 227, DK-1502 Copenhagen V, Denmark
Blackwell Verlag
Kurfürstendamm 58, D-10707 Berlin (Charlottenburg), Germany
Blackwell Publishing KK
Healthcare Division, 5F, GS Chiyoda Bldg, 3-11-14 Lidabashi,
Chiyodaku, Tokyo 101-0072, Japan
Blackwell Publishing Professional
2121 State Avenue, Ames, Iowa IA50014, USA

Typeset by Scientific Publishing Services (P) Ltd, India;
Printed and Bound in Singapore by C.O.S. Printers Pte Ltd.

© 2006 Blackwell Publishing Ltd. All rights reserved. No part of this publication may be reproduced, stored or transmitted in any form or by any means without the prior permission in writing from the copyright holder. Authorization to photocopy items for internal and personal use is granted by the copyright holder for libraries and other users registered with their local Reproduction Rights Organisation (RRO), e.g. Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923, USA (www.copyright.com), provided the appropriate fee is paid directly to the RRO. This consent does not extend to other kinds of copying such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to Blackwell Publishing at: journalsrights@oxon.blackwellpublishing.com.

Contents

Vol 119, No 1, September 2006

Review article

1 *Marcel Knossow* and *John J. Skehel*: Variation and infectivity neutralization in influenza

Original articles

8 *Cecilia M. Prêle, April L. Keith-Magee, Stephanie T. Yerkovich, Monika Murcha* and *Prue H. Hart*: Suppressor of cytokine signalling-3 at pathological levels does not regulate lipopolysaccharide or interleukin-10 control of tumour necrosis factor-α production by human monocytes

18 *Petra Amoudruz, Jacob Taku Minang, Yvonne Sundström, Caroline Nilsson, Gunnar Lilja, Marita Troye-Blomberg* and *Eva Sverremark-Ekström*: Pregnancy, but not the allergic status, influences spontaneous and induced interleukin-1β (IL-1β), IL-6, IL-10 and IL-12 responses

27 *Jessica Strid, Robin Callard* and *Stephan Strobel*: Epicutaneous immunization converts subsequent and established antigen-specific T helper type 1 (Th1) to Th2-type responses

36 *Yonsu Son, Tomoki Ito, Yoshio Ozaki, Tsutomu Tanijiri, Takashi Yokoi, Kengo Nakamura, Masashi Takebayashi, Ryuichi Amakawa* and *Shirou Fukuhara*: Prostaglandin E_2 is a negative regulator on human plasmacytoid dendritic cells

43 *Martin A. Kriegel, Theresa Tretter, Norbert Blank, Martin Schiller, Christoph Gabler, Silke Winkler, Joachim R. Kalden* and *Hanns-Martin Lorenz*: Interleukin-4 supports interleukin-12-induced proliferation and interferon-γ secretion in human activated lymphoblasts and T helper type 1 cells

54 *Cuixia Tian, Grace K. Kron, Kevin M. Dischert, James N. Higginbotham* and *James E. Crowe, Jr*: Low expression of the interleukin (IL)-4 receptor alpha chain and reduced signalling via the IL-4 receptor complex in human neonatal B cells

63 *Keri B. Donohue, Jean M. Grant, Eric F. Tewalt, Douglas C. Palmer, Marc R. Theoret, Nicholas P. Restifo* and *Christopher C. Norbury*: Cross-priming utilizes antigen not available to the direct presentation pathway

74 *Patricia Price, Niamh M. Keane, Silvia Lee, Andrew F. Y. Lim, Elizabeth J. McKinnon* and *Martyn A. French*: A T2 cytokine environment may not limit T1 responses in human immunodeficiency virus patients with a favourable response to antiretroviral therapy

83 *Ulrich J. H. Sachs, Ines Socher, Christian G. Braeunlich, Hartmut Kroll, Gregor Bein* and *Sentot Santoso*: A variable number of tandem repeats polymorphism influences the transcriptional activity of the neonatal Fc receptor α-chain promoter

90 *Laurent Boursier, Stephen Attard Montalto, Shanti Raju, Giuseppe Culora* and *Jo Spencer*: Characterization of cells of the B lineage in the human adult greater omentum

98 *Katherine S. Koch, Kyung-Hwa Son, Rene Maehr, Illenia Pellicciotta, Hidde L. Ploegh, Maurizio Zanetti, Stewart Sell* and *Hyam L. Leffert*: Immune-privileged embryonic Swiss mouse STO and STO cell-derived progenitor cells: major histocompatibility complex and cell differentiation antigen expression patterns resemble those of human embryonic stem cell lines

116 *Gillian A. Lang, Mark A. Exley* and *Mark L. Lang*: The CD1d-binding glycolipid α-galactosylceramide enhances humoral immunity to T-dependent and T-independent antigen in a CD1d-dependent manner

126 *Joanne M. Fraser, Claire N. Janicki, Ben J. E. Raveney* and *David J. Morgan*: Abortive activation precedes functional deletion of $CD8^+$ T cells following encounter with self-antigens expressed by resting B cells *in vivo*

134 *Karin Leandersson, Elin Jaensson* and *Fredrik Ivars*: T cells developing in fetal thymus of T-cell receptor α-chain transgenic mice colonize γδ T-cell-specific epithelial niches but lack long-term reconstituting potential

143 Erratum

144 Future meetings

145 Forthcoming papers

Vol 119, No 2, October 2006

Original articles

147 *Hazel Uppington, Nathalie Menager, Peter Boross, James Wood, Mark Sheppard, Sjef Verbeek* and *Pietro Mastroeni*: Effect of immune serum and role of individual Fcγ receptors on the intracellular distribution and survival of *Salmonella enterica* serovar Typhimurium in murine macrophages

159 *Marian L. Kruzel, Attila Bacsi, Barun Choudhury, Sanjiv Sur* and *Istvan Boldogh*: Lactoferrin decreases pollen antigen-induced allergic airway inflammation in a murine model of asthma

Contents

167 *Ayako Wakabayashi, Yoshihiro Kumagai, Eiji Watari, Masumi Shimizu, Masanori Utsuyama, Katsuiku Hirokawa* and *Hidemi Takahashi*: Importance of gastrointestinal ingestion and macromolecular antigens in the vein for oral tolerance induction

178 *Scott B. Berger, Amir A. Sadighi Akha, Richard A. Miller* and *Gonzalo G. Garcia*: CD43-independent augmentation of mouse T-cell function by glycoprotein cleaving enzymes

187 *Amir A. Sadighi Akha, Scott B. Berger* and *Richard A. Miller*: Enhancement of CD8 T-cell function through modifying surface glycoproteins in young and old mice

195 *Daisuke Tanaka, Takashi Kagari, Hiromi Doi* and *Takaichi Shimozato*: Essential role of neutrophils in anti-type II collagen antibody and lipopolysaccharide-induced arthritis

203 *Emma L. Smith, Helene M. Finney, Andrew M. Nesbitt, Fred Ramsdell* and *Martyn K. Robinson*: Splice variants of human FOXP3 are functional inhibitors of human $CD4^+$ T-cell activation

212 *Andrias Hojgaard, Rebecca Close, Dianne M. Dunn, Robert B. Weiss, Janis J. Weis* and *John H. Weis*: Altered localization of CXCL13 expressing cells in mice deficient in Pactolus following an inflammatory stimulus

224 *Ana Paula Junqueira-Kipnis, Randall J. Basaraba, Veronica Gruppo, Gopinath Palanisamy, Oliver C. Turner, Tsungda Hsu, William R. Jacobs, Jr, Scott A. Fulton, Scott M. Reba, W. Henry Boom* and *Ian M. Orme*: Mycobacteria lacking the RD1 region do not induce necrosis in the lungs of mice lacking interferon-γ

232 *Iole Macchia, Marie-Claire Gauduin, Amitinder Kaur* and *R. Paul Johnson*: Expression of CD8α identifies a distinct subset of effector memory $CD4^+$ T lymphocytes

243 *Diana L. Wallace, Marion Bérard, Maria V. D. Soares, Janine Oldham, Joanne E. Cook, Arne N. Akbar, David F. Tough* and *Peter C. L. Beverley*: Prolonged exposure of naïve $CD8^+$ T cells to interleukin-7 or interleukin-15 stimulates proliferation without differentiation or loss of telomere length

254 *Ryungsa Kim, Manabu Emi* and *Kazuaki Tanabe*: Cancer immunosuppression and autoimmune disease: beyond immunosuppressive networks for tumour immunity

265 *Line Ohm-Laursen, Morten Nielsen, Stine R. Larsen* and *Torben Barington*: No evidence for the use of DIR, D–D fusions, chromosome 15 open reading frames or V_H replacement in the peripheral repertoire was found on application of an improved algorithm, Joint ML, to 6329 human immunoglobulin H rearrangements

278 *Botond-Zoltán Igyártó, Erzsébet Lackó, Imre Oláh* and *Attila Magyar*: Characterization of chicken epidermal dendritic cells

289 Forthcoming papers

Vol 119, No 3, November 2006

Review article

291 *Domenico Ribatti*: The fundamental contribution of Robert A. Good to the discovery of the crucial role of thymus in mammalian immunity

Original articles

296 *Bailin Liang, Debra B. Gardner, Don E. Griswold, Peter J. Bugelski* and *Xiao Yu R. Song*: Anti-interleukin-6 monoclonal antibody inhibits autoimmune responses in a murine model of systemic lupus erythematosus

306 *Eliada Lazoura, Jodie Lodding, William Farrugia, Paul A. Ramsland, James Stevens, Ian A. Wilson, Geoffrey A. Pietersz* and *Vasso Apostolopoulos*: Enhanced major histocompatibility complex class I binding and immune responses through anchor modification of the non-canonical tumour-associated mucin 1-8 peptide

317 *Anja K. Schröder, Maren von der Ohe, Ute Kolling, Julia Altstaedt, Peter Uciechowski, Daniela Fleischer, Klaus Dalhoff, XinSheng Ju, Martin Zenke, Nicole Heussen* and *Lothar Rink*: Polymorphonuclear leucocytes selectively produce anti-inflammatory interleukin-1 receptor antagonist and chemokines, but fail to produce pro-inflammatory mediators

328 *Elizabeth A. Clutterbuck, Penny Salt, Sarah Oh, Arnaud Marchant, Peter Beverley* and *Andrew John Pollard*: The kinetics and phenotype of the human B-cell response following immunization with a heptavalent pneumococcal-CRM_{197} conjugate vaccine

338 *Cynthia A. Ellison, Masaru Taniguchi, Jacqie M. M. Fischer, Kent T. Hayglass* and *John G. Gartner*: Graft-versus-host disease in recipients of grafts from natural killer T cell-deficient ($J\alpha281^{-/-}$) donors

348 *Alexander B. Mullen, Catherine E. Lawrence, Emma McFarlane, Xiao-Quing Wei* and *Katharine C. Carter*: Endogenous interleukin-18 is involved in immunity to *Leishmania donovani* but its absence does not adversely influence the therapeutic activity of sodium stibogluconate

355 *Malcolm S. Duthie* and *Stuart J. Kahn*: During acute *Trypanosoma cruzi* infection highly susceptible mice deficient in natural killer cells are protected by a single α-galactosylceramide treatment

362 *Shân L. Gyles, Luzheng Xue, Elizabeth R. Townsend, Frank Wettey* and *Roy Pettipher*: A dominant role for chemoattractant receptor-homologous molecule expressed on T helper type 2 (Th2) cells (CRTH2) in mediating chemotaxis of $CRTH2^+$ $CD4^+$ Th2 lymphocytes in response to mast cell supernatants

© 2006 Blackwell Publishing Ltd,

369 *Renato Sousa Cardoso, Danielle A. R. Magalhães, Ana Maria T. Baião, Cristina Moraes Junta, Claudia Macedo, Márcia M. C. Marques, Elza Tiemi Sakamoto-Hojo, Eduardo A. Donadi* and *Geraldo A. S. Passos*: Onset of promiscuous gene expression in murine fetal thymus organ culture

376 *Darragh Duffy, Chun-Ping Yang, Andrew Heath, Paul Garside* and *Eric B. Bell*: Naive T-cell receptor transgenic T cells help memory B cells produce antibody

385 *Ho-Ki Shim, Julie A. Musson, Helen M. Harper, Hesta V. McNeill, Nicola Walker, Helen Flick-Smith, Alexei von Delwig, E. Diane Williamson* and *John H. Robinson*: Mechanisms of major histocompatibility complex class II-restricted processing and presentation of the V antigen of *Yersinia pestis*

393 *Mika Nakamae-Akahori, Takayuki Kato, Sayuri Masuda, Erina Sakamoto, Haruo Kutsuna, Fumihiko Hato, Yoshiki Nishizawa, Masayuki Hino* and *Seiichi Kitagawa*: Enhanced neutrophil motility by granulocyte colony-stimulating factor: the role of extracellular signal-regulated kinase and phosphatidylinositol 3-kinase

404 *Philipp Haselmayer, Stefan Tenzer, Byoung S. Kwon, Gundram Jung, Hansjörg Schild* and *Markus P. Radsak*: Herpes virus entry mediator synergizes with Toll-like receptor mediated neutrophil inflammatory responses

412 *Asifa K. Zaidi, Elden Retna Raj B. Thangam* and *Hydar Ali*: Distinct roles of Ca^{2+} mobilization and G protein usage on regulation of Toll-like receptor function in human and murine mast cells

421 *Won-Jung Kim, Eun-Mi Bae, Yoon-Joong Kang, Hyung-Uk Bae, Su Hyung Hong, Joo Y. Lee, Jeong-Euy Park, Byoung S. Kwon, Kyoungho Suk* and *Won-Ha Lee*: Glucocorticoid-induced tumour necrosis factor receptor family related protein (GITR) mediates inflammatory activation of macrophages that can destabilize atherosclerotic plaques

430 Forthcoming papers

Vol 119, No 4, December 2006

Original articles

431 *K. Zerria, E. Jerbi, S. Hammami, A. Maaroufi, S. Boubaker, J. P. Xiong, M. A. Arnaout* and *D. M. Fathallah*: Recombinant integrin CD11b A-domain blocks polymorphonuclear cells recruitment and protects against skeletal muscle inflammatory injury in the rat

441 *Niklas Beyersdorf, Karen Balbach, Thomas Hünig* and *Thomas Kerkau*: Large-scale expansion of rat $CD4^+$ $CD25^+$ T_{reg} cells in the absence of T-cell receptor stimulation

451 *Yimin Sun, Zhihui Yang, Zeqing Niu, Jianxiao Peng, Qinghuan Li, Wanfen Xiong, Alan N. Langnas, Mark Y. Ma* and *Yong Zhao*: MOP3, a component of the molecular clock, regulates the development of B cells

461 *Rajesh K. Sinha, Guibin Yang, Cornelius Alexander* and *Rose G. Mage*: *De novo* expression of MECA-79 glycoprotein-determinant on developing B lymphocytes in gut-associated lymphoid tissues

470 *Amanda M. Williams, Christopher S. J. Probert, Renata Stepankova, Helena Tlaskalova-Hogenova, Anne Phillips* and *Paul W. Bland*: Effects of microflora on the neonatal development of gut mucosal T cells and myeloid cells in the mouse

479 *Sun K. Lee, Beom K. Choi, Young H. Kim, Woo J. Kang, Kwang H. Kim, Shimon Sakaguchi, Jae H. Suh, Tae Y. Kim* and *Byoung S. Kwon*: Glucocorticoid-induced tumour necrosis factor receptor family-related receptor signalling exacerbates hapten-induced colitis by $CD4^+$ T cells

488 *Mar Naranjo-Gómez, Nuria Climent, Joan Cos, Harold Oliva, Margarita Bofill, José M. Gatell, Teresa Gallart, Ricardo Pujol-Borrell* and *Francesc E. Borràs*: Tacrolimus treatment of plasmacytoid dendritic cells inhibits dinucleotide (CpG-)-induced tumour necrosis factor-alpha secretion

499 *Judith M. H. de Jong, Danita H. Schuurhuis, Andreea Ioan-Facsinay, Mick M. Welling, Marcel G. M. Camps, Ellen I. H. van der Voort, Tom W. J. Huizinga, Ferry Ossendorp, J. Sjef Verbeek* and *René E. M. Toes*: Dendritic cells, but not macrophages or B cells, activate major histocompatibility complex class II-restricted $CD4^+$ T cells upon immune-complex uptake *in vivo*

507 *Jo-Ann S. Passmore, Michelle Milner, Lynnette Denny, Candice Sampson, Dianne J. Marais, Bruce Allan, Pam P. Gumbi, Inga I. Hitzeroth, Edward P. Rybicki* and *Anna-Lise Williamson*: Comparison of cervical and blood T-cell responses to human papiliomavirus-16 in women with human papillomavirus-associated cervical intraepithelial neoplasia

515 *Ilka Engelmann, Ulrike Moeller, Andrea Santamaria, Peter G. Kremsner* and *Adrian J. F. Luty*: Differing activation status and immune effector molecule expression profiles of neonatal and maternal lymphocytes in an African population

522 *Stephen E. Christmas, Claudia T. de la Mata Espinosa, Deborah Halliday, Cheryl A. Buxton, Joanne A. Cummerson* and *Peter M. Johnson*: Levels of expression of complement regulatory proteins CD46, CD55 and CD59 on resting and activated human peripheral blood leucocytes

529 *Ricardo Silvestre, Anabela Cordeiro-da-Silva, Joana Tavares, Denis Sereno* and *Ali Ouaissi*: *Leishmania* cytosolic silent information regulatory protein 2 deacetylase induces murine B-cell differentiation and *in vivo* production of specific antibodies

541 *Sally Huber, Austin Dohrman, Danielle Sartini* and *Ralph C. Budd*: Reduced myocarditis following Coxsackievirus infection in cellular FLICE inhibitory protein – long form-transgenic mice

551 *Caroline Desmetz, Yea-Lih Lin, Clément Mettling, Pierre Portalès, Herisoa Rabesandratana, Jacques Clot* and

Pierre Corbeau: The strength of the chemotactic response to a CCR5 binding chemokine is determined by the level of cell surface CCR5 density

562 *Gavin P. Sandilands, Jame McCrae, Kathryn Hill, Martin Perry* and *Derek Baxter*: Major histocompatibility complex class II (DR) antigen and costimulatory molecules on *in vitro* and *in vivo* activated human polymorphonuclear neutrophils

572 Forthcoming papers

573 Author Index for Volume 119

578 Subject Index for Volume 119

© 2006 Blackwell Publishing Ltd,